


UNI 5870 - ISO 1502

Calibri a tampone filettati passa / non passa

Thread plug gauges go/no-go

Calibres de filetage entre/n'entre pas



Tolleranza - Tolerance - Tolérance

6H

Trattamento superficiale - Surface treatment - Revêtement

BR

Od1 M	P mm	CODICE - CODE P-NPM...
2	0,4	○
2,2	0,45	○
2,5	0,45	○
3	0,5	○
3,5	0,6	○
4	0,7	○
4,5	0,75	○
5	0,8	○
6	1	○
7	1	○
8	1,25	○
9	1,25	○
10	1,5	○
11	1,5	○
12	1,75	○
14	2	○
16	2	○
18	2,5	○
20	2,5	○
22	2,5	○
24	3	○
27	3	○
30	3,5	○
33	3,5	○
36	4	○
39	4	○
42	4,5	○
45	4,5	○
48	5	○

UNI 5870 - ISO 1502

LINE

MF

Calibri a tampone filettati passa / non passa

Thread plug gauges go/no-go

Calibres de filetage entrein'entre pas



Tolleranza - Tolerance - Tolérance

6H

Trattamento superficiale - Surface treatment - Revêtement

BR

Od1 MF	P mm	CODICE - CODE P-NPMF...
4	0,5	○
5	0,5	○
6	0,75	○
7	0,75	○
8	0,75	○
8	1	○
9	1	○
10	0,75	○
10	1	○
10	1,25	○
12	1	○
12	1,25	○
12	1,5	○
14	1	○
14	1,25	○
14	1,5	○
16	1	○
16	1,5	○
18	1	○
18	1,5	○
18	2	○
20	1	○
20	1,5	○
20	2	○
22	1	○
22	1,5	○
24	1	○
24	1,5	○
24	2	○
25	1	○
25	1,5	○
25	2	○
26	1,5	○
26	2	○

Segue diametri

Diameters, to be continued / Diamètres à suivre

Pag. 148

CALIBRI FILETTATI

THREAD GAUGES - CALIBRES DE FILETAGE

UNI 5870 - ISO 1502

Calibri a tampone filettati passa / non passa

Thread plug gauges go/no-go

Calibres de filetage entre/n'entre pas



Tolleranza - Tolerance - Tolérance

6H

Trattamento superficiale - Surface treatment - Revêtement

BR

Ød1 MF	P mm	CODICE - CODE P-NPMF...
27	1	○
27	1,5	○
28	1,5	○
28	2	○
30	1	○
30	1,5	○
30	2	○
32	1	○
32	1,5	○
32	2	○
33	2	○
35	1,5	○
35	2	○
36	1,5	○
36	2	○
36	3	○
38	1,5	○
39	2	○
40	1,5	○
40	2	○
40	3	○
42	1,5	○
42	2	○
42	3	○
45	1,5	○
45	2	○
45	3	○
48	1,5	○
48	2	○
48	3	○
50	1,5	○
50	2	○
50	3	○

Confezione / Box / Colis:
M3 – M10: 10 pezzi / pcs
M12 – M16: 5 pezzi / pcs

€ Pag. listino - Price list - Liste des prix

108

● Standard

○ Disponibilità da richiedere, prezzo a listino
On enquiry, standard price-list / Stock à vérifier

★ Solo a richiesta
Only on request / Sur demande

ANSI / ASME B1.2
Calibri a tampone filettati passa / non passa

Thread plug gauges go/no-go

Calibres de filetage entre/n'entre pas


UNC


Tolleranza - Tolerance - Tolérance

2B

Trattamento superficiale - Surface treatment - Revêtement

BR

Ød1 UNC	TPI	CODICE - CODE P-NPUNC...
5	40	○
6	32	○
8	32	○
10	24	○
12	24	○
1/4	20	○
5/16	18	○
3/8	16	○
7/16	14	○
1/2	13	○
9/16	12	○
5/8	11	○
3/4	10	○
7/8	9	○
1"	8	○
1" 1/8	7	○
1" 1/4	7	○
1" 3/8	6	○
1" 1/2	6	○
1" 3/4	5	○
2"	4,5	○

Calibri filettati per filettatura conica a tre piani
 Thread gauges for tapered threads with three plans
 Calibres de contrôle pour filetage conique sur trois étages



Tolleranza - Tolerance - Tolérance

-

Trattamento superficiale - Surface treatment - Revêtement

BR

NPT
ANSI/ASME B1.20.1

Ød1	TPI
1/8	27
1/4	18
3/8	18
1/2	14
3/4	14
1"	11,5
1"1/4	11,5
1"1/2	11,5
2"	11,5

CODICE - CODE
P-NPNT...

○
○
○
○
○
○
○
○
○
○

NPTF
ANSI/ASME B1.20.3

A richiesta:
 On request:
 Sur demande:

Ød1	TPI
1/8	27
1/4	18
3/8	18
1/2	14
3/4	14
1"	11,5
1"1/4	11,5
1"1/2	11,5
2"	11,5

CODICE - CODE
P-NPNPTF...

★
★
★
★
★
★
★
★
★
★